L Number	Hits	Search Text	DB	Time stamp
-	449	topotecan	USPAT;	2002/07/18 09:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
l	26	topotecan same liposom\$	USPAT;	2002/07/15 11:57
1		,,,,,,,	US-PGPUB;	
j		•	EPO; JPO;	,
			DERWENT;	
			IBM TDB	
_	1534	camptothecin	USPAT;	2002/07/17 09:00
	,,,,		US-PGPUB	2552/5/// 55/65
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	71	camptothecin same liposom\$	USPAT;	2002/07/17 09:26
	•	damptotheom same aposomi	US-PGPUB;	2002/01/11 09.20
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	17	(topotecan and camptothogin) same linesams		2002/07/47 00:26
-	17	(topotecan and camptothecin) same liposom\$	USPAT;	2002/07/17 09:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	5	(the metabolis and committee asia) as well in a second and	IBM_TDB	
-	5	(topotecan and camptothecin) same liposom\$ and	USPAT;	2002/07/17 09:57
		sphingomyelin and cholesterol	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
.	ا م	(//www.da.a.a.a.a.a.a.a.da.a.da.a.da.a.da	IBM_TDB	
-	3	((topotecan or camptothecin) same liposom\$) and	USPAT;	2002/07/17 10:04
]		sphingomyelin and cholesterol and ionophore	US-PGPUB;	
Í			EPO; JPO;	
			DERWENT;	
.			IBM_TDB	
-	2	((topotecan or camptothecin) same liposom\$) and	USPAT;	2002/07/18 09:34
[]	l	sphingomyelin and cholesterol and ionophore and topotecan	US-PGPUB;	
		and camptothecin	EPO; JPO;	
.	l		DERWENT;	
	4.0	"E004 460"	IBM_TDB	
-	10	"5891468"	USPAT;	2002/07/18 09:32
	l		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	40	FFF04F0	IBM_TDB	
-	19	"5552156"	USPAT;	2002/07/18 09:33
			US-PGPUB;	
.			EPO; JPO;	
			DERWENT;	
ĺ	_		IBM_TDB	
-	2	(liposom\$) and sphingomyelin and cholesterol and	USPAT;	2002/07/18 09:34
		ionophore and topotecan and camptothecin	US-PGPUB;	
}			EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

Connecting via Winsock to STN

```
Welcome to STN International! Enter x:x
```

LOGINID:ssspta1619cto

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * * * * * *
                     Welcome to STN International
NEWS
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS
         Jan 25
                 BLAST(R) searching in REGISTRY available in STN on the Web
NEWS
                 FSTA has been reloaded and moves to weekly updates
     3
         Jan 29
NEWS 4
                 DKILIT now produced by FIZ Karlsruhe and has a new update
         Feb 01
                 frequency
NEWS 5
        Feb 19
                 Access via Tymnet and SprintNet Eliminated Effective 3/31/02
NEWS
        Mar 08
                 Gene Names now available in BIOSIS
NEWS
      7 Mar 22
                 TOXLIT no longer available
NEWS
     8 Mar 22
                 TRCTHERMO no longer available
NEWS 9 Mar 28 US Provisional Priorities searched with P in CA/CAplus
                 and USPATFULL
NEWS 10 Mar 28
                LIPINSKI/CALC added for property searching in REGISTRY
NEWS 11 Apr 02
                 PAPERCHEM no longer available on STN. Use PAPERCHEM2 instead.
                 "Ask CAS" for self-help around the clock
NEWS 12 Apr 08
NEWS 13 Apr 09
                 BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 14 Apr 09
                ZDB will be removed from STN
NEWS 15 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS 16 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS 17 Apr 22 BIOSIS Gene Names now available in TOXCENTER
NEWS 18 Apr 22 Federal Research in Progress (FEDRIP) now available
NEWS 19
         Jun 03 New e-mail delivery for search results now available
NEWS 20
        Jun 10
                MEDLINE Reload
NEWS 21
        Jun 10
                PCTFULL has been reloaded
NEWS 22 Jul 02
                FOREGE no longer contains STANDARDS file segment
NEWS EXPRESS
             February 1 CURRENT WINDOWS VERSION IS V6.0d.
              CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP),
             AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002
NEWS HOURS
              STN Operating Hours Plus Help Desk Availability
NEWS INTER
             General Internet Information
NEWS LOGIN
             Welcome Banner and News Items
NEWS PHONE
             Direct Dial and Telecommunication Network Access to STN
NEWS WWW
             CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 14:47:13 ON 18 JUL 2002

=> file medline, caplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL

ENTRY SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'MEDLINE' ENTERED AT 14:47:22 ON 18 JUL 2002

FILE 'CAPLUS' ENTERED AT 14:47:22 ON 18 JUL 2002

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

=> camptothecin

L1 6159 CAMPTOTHECIN

=> liposmom? and l1

0 LIPOSMOM? AND L1

=> liposmom?

L3 0 LIPOSMOM?

=> liposom?

L4 63645 LIPOSOM?

=> 14 and 11

L5 125 L4 AND L1

=> 15 and sphingomyelin

7 L5 AND SPHINGOMYELIN

=> 16 and topotecan

3 L6 AND TOPOTECAN

=> dis 17 ibib abs 1-3

ANSWER 1 OF 3 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2002:31220 CAPLUS

DOCUMENT NUMBER:

136:90962

TITLE:

Improved liposomal camptothecins

and uses thereof

INVENTOR(S):

Madden, Thomas D.; Semple, Sean C.

PATENT ASSIGNEE(S): Inex Pharmaceuticals Corporation, Can.

SOURCE: PCT Int. Appl., 43 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE -----

WO 2002002078 A2 20020110 WO 2001-CA981 20010629 W: AE, AG, AL, AM, AT, AU AZ BA BB BC CO

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,

```
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
              DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
              BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     AU 2001070413
                         A5 20020114
                                              AU 2001-70413
                                                                20010629
PRIORITY APPLN. INFO.:
                                           US 2000-215556P P 20000630
                                           US 2001-264616P P 20010126
                                           WO 2001-CA981
                                                                20010629
     This invention relates to improved liposomal
AB
     camptothecin compns. and methods of using such compns. for
     treating neoplasia and for inhibiting angiogenesis. The compns. and
     methods are useful for modulating the plasma circulation half-life of an
     active agent. Topotecan (I) was encapsulated in
     sphingomyelin: cholesterol (55:45, mol/mol) liposomes
     using Mg-A-2318 ionophore method. The initial drug-to-lipid ratio was 0.1
      (wt./wt.) and drug loading was typically 95-100%. The therapeutic index
     of the liposomes contg. I was 18 fold the free I in human breast
     cancer model MX-1.
     ANSWER 2 OF 3 CAPLUS COPYRIGHT 2002 ACS
ь7
ACCESSION NUMBER:
                           2002:31219 CAPLUS
DOCUMENT NUMBER:
                           136:90961
TITLE:
                           Liposomal antineoplastic drugs and uses
                           thereof
INVENTOR(S):
                           Madden, Thomas D.; Semple, Sean C.; Ahkong, Quet F.
PATENT ASSIGNEE(S):
                           Inex Pharmaceuticals Corporation, Can.
SOURCE:
                           PCT Int. Appl., 47 pp.
                           CODEN: PIXXD2
DOCUMENT TYPE:
                           Patent
LANGUAGE:
                           English
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION:
     PATENT NO.
                       KIND
                             DATE
                                             APPLICATION NO. DATE
                      ____
                              _____
     WO 2002002077
                        A2
                                            WO 2001-CA925 20010629
                             20020110
             AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
              CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
              LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT,
              RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US,
             UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM.
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
              DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     AU 2001070385
                        Α5
                            20020114
                                             AU 2001-70385
                                                                20010629
PRIORITY APPLN. INFO.:
                                          US 2000-215556P P
                                                               20000630
                                          US 2001-264616P P
                                                                20010126
                                          WO 2001-CA925
                                                             W 20010629
     This invention relates to liposomal antineoplastic agents (e.g.,
AB
     camptothecin) compns. and methods of using such compns. for
     treating neoplasia and for inhibiting angiogenesis. The compns. and
     methods are useful for modulating the plasma circulation half-life of an
     active agent. Topotecan (I) was encapsulated in
     sphingomyelin:cholesterol (55:45, mol/mol) liposomes
     using Mg-A-2318 ionophore method. The initial drug-to-lipid ratio was 0.1
     (wt./wt.) and drug loading was typically 95-100%. The therapeutic index
```

of the liposomes contg. I was 18 fold the free I in human breast

cancer model MX-1.

L7 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2002 ACS ACCESSION NUMBER: 2000:277830 CAPLUS

DOCUMENT NUMBER:

132:313695

TITLE:

SOURCE:

Liposome-entrapped topoisomerase inhibitors

INVENTOR(S):

Slater, James Lloyd; Colbern, Gail T.; Working, Peter

PATENT ASSIGNEE(S):

Alza Corporation, USA PCT Int. Appl., 50 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent English

LANGUAGE:

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

	PATENT NO.			KIND DATE			APPLICATION NO. DATE											
	WO 2000023052		A1		20000427		WO 1999-US24228 19991015											
		W:					AU,											
							EE,											
							KG,											
			MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,
			SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	ŪG,	UZ,	VN,	YU,	ZA,	ZW,	AM,	ΑZ,	BY,
			KG,	ΚZ,	MD,	RU,	ТJ,	TM										
		RW:					MW,											
			DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,
							GN,											
								EP 1999-954971 19991015 FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,										
		R:							FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
							FI,											
		9914													1999	1015		
		63552													1999			
		20010								N	0 20	01-1	844		2001	0410		
RIOF	(TIS	APPI	LN.	INFO	. :				Ţ	JS 1	998-	1046	71P	P	1998	1016		
															1999			
3	A c	compn	. for	r the	e tre	eatm	ent o	of tu	ımor	con	tg.	a the	erape	euti	cally	y ED	of a	a
	top	oisor	meras	se I	inh:	ibit	or o	r top	pois	omer	ase	I/II	inh	ibit	or is	de:	scril	oed.
	The	comp	on. j	inclı	ıdes	lip	osome	es ha	aving	g an	out	er si	urfa	ce a	nd ar	n		

inner surface defining aq. liposome compartment, and being composed of a vesicle-forming lipid and of a vesicle-forming lipid derivatized with a hydrophilic polymer to form a coating of hydrophilic polymer chains on both the inner and outer surfaces of the liposomes. Entrapped in the liposomes is the topoisomerase inhibitor at a concn. of at least about 0.10 .mu.M drug per .mu.N lipid. A topoisomerase I inhibitor is selected from the group consisting of camptothecin and derivs. thereof. 6

REFERENCE COUNT:

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT => liposom? and cholesterol

L8 10812 LIPOSOM? AND CHOLESTEROL

=> 18 and topotecan

L9 11 L8 AND TOPOTECAN

=> 19 and ionophore

L10 4 L9 AND IONOPHORE

=> dis 110 ibib abs

L10 ANSWER 1 OF 4 MEDLINE

ACCESSION NUMBER: 2000393094 MEDLINE

DOCUMENT NUMBER: 20365399 PubMed ID: 10910044

TITLE: Liposomal encapsulation of topotecan

enhances anticancer efficacy in murine and human xenograft

models.

AUTHOR: Tardi P; Choice E; Masin D; Redelmeier T; Bally M; Madden T

,

CORPORATE SOURCE: Inex Pharmaceuticals Corporation, Burnaby, British

Columbia, Canada.

SOURCE: CANCER RESEARCH, (2000 Jul 1) 60 (13) 3389-93.

Journal code: 2984705R. ISSN: 0008-5472.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200008

ENTRY DATE: Entered STN: 20000824

Last Updated on STN: 20000824 Entered Medline: 20000817

AB Topotecan was encapsulated in sphingomyelin/cholesterol liposomes using an ionophore-generated proton gradient.

After i.v. injection, liposomal topotecan was eliminated from the plasma much more slowly than free drug, resulting in a 400-fold increase in plasma area under the curve. Further, high-performance liquid chromatography analysis of plasma samples demonstrated that topotecan was protected from hydrolysis within the liposomal carrier with >80% of the drug remaining as the active, lactone species up to 24 h. The improved pharmacokinetics observed with liposomal topotecan correlated with increased efficacy in both murine and human tumor models. In the L1210 ascitic tumor model, optimal doses of liposomal topotecan resulted in a 60-day survival rate of 60-80%, whereas in a L1210 liver metastasis model, 100% long-term survival (>60 days) was achieved. In contrast, long-term survivors were rarely seen after treatment with free topotecan. Further, in a human breast carcinoma model (MDA 435/LCC6), liposomal topotecan provided greatly

improved increase in life span relative to the free drug. These results suggest that liposomal encapsulation can significantly enhance

the therapeutic activity of topotecan.

=> dis 110 ibib abs 1-20

L10 ANSWER 1 OF 4 MEDLINE

ACCESSION NUMBER: 2000393094 MEDLINE

DOCUMENT NUMBER: 20365399 PubMed ID: 10910044

TITLE: Liposomal encapsulation of topotecan

enhances anticancer efficacy in murine and human xenograft

models.

AUTHOR: Tardi P; Choice E; Masin D; Redelmeier T; Bally M; Madden T

D

CORPORATE SOURCE: Inex Pharmaceuticals Corporation, Burnaby, British

Columbia, Canada.

SOURCE: CANCER RESEARCH, (2000 Jul 1) 60 (13) 3389-93.

Journal code: 2984705R. ISSN: 0008-5472.

PUB. COUNTRY: United States

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200008

ENTRY DATE: Entered STN: 20000824

Last Updated on STN: 20000824 . Entered Medline: 20000817

AB Topotecan was encapsulated in sphingomyelin/cholesterol liposomes using an ionophore-generated proton gradient.

After i.v. injection, liposomal topotecan was eliminated from the plasma much more slowly than free drug, resulting in a 400-fold increase in plasma area under the curve. Further, high-performance liquid chromatography analysis of plasma samples demonstrated that topotecan was protected from hydrolysis within the liposomal carrier with >80% of the drug remaining as the

active, lactone species up to 24 h. The improved pharmacokinetics observed with liposomal topotecan correlated with increased efficacy in both murine and human tumor models. In the L1210 ascitic tumor

model, optimal doses of liposomal topotecan resulted

in a 60-day survival rate of 60-80%, whereas in a L1210 liver metastasis model, 100% long-term survival (>60 days) was achieved. In contrast, long-term survivors were rarely seen after treatment with free topotecan. Further, in a human breast carcinoma model (MDA)

435/LCC6), liposomal topotecan provided greatly

improved increase in life span relative to the free drug. These results suggest that liposomal encapsulation can significantly enhance

the therapeutic activity of topotecan.

L10 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2002 ACS ACCESSION NUMBER: 2002:31220 CAPLUS

DOCUMENT NUMBER: 136:90962

TITLE: Improved liposomal camptothecins and uses

thereof

INVENTOR(S): Madden, Thomas D.; Semple, Sean C.
PATENT ASSIGNEE(S): Inex Pharmaceuticals Corporation, Can.

SOURCE: PCT Int. Appl., 43 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Facent English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO. DATE	DATE				
WO 2002002078	A2 20020110	WO 2001-CA981 20010629					
W: AE, AG,	, AL, AM, AT, AU,	AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN	1,				
CO, CR,	CU, CZ, DE, DK,	DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH	i,				
GM, HR,	HU, ID, IL, IN,	IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR	₹,				
LS, LT,	LU, LV, MA, MD,	MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT					
RO, RU,	SD, SE, SG, SI,	SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US	3,				
UZ, VN,	YU, ZA, ZW, AM,	AZ, BY, KG, KZ, MD, RU, TJ, TM	•				

```
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     AU 2001070413
                       A5
                            20020114
                                          AU 2001-70413
                                                           20010629
PRIORITY APPLN. INFO.:
                                        US 2000-215556P P 20000630
                                        US 2001-264616P P 20010126
                                        WO 2001-CA981
                                                         W 20010629
     This invention relates to improved liposomal camptothecin
ΑB
     compns. and methods of using such compns. for treating neoplasia and for
     inhibiting angiogenesis. The compns. and methods are useful for
     modulating the plasma circulation half-life of an active agent.
     Topotecan (I) was encapsulated in sphingomyelin:
     cholesterol (55:45, mol/mol) liposomes using Mg-A-2318
     ionophore method. The initial drug-to-lipid ratio was 0.1
     (wt./wt.) and drug loading was typically 95-100%. The therapeutic index
     of the liposomes contg. I was 18 fold the free I in human breast
     cancer model MX-1.
L10 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER:
                         2002:31219 CAPLUS
DOCUMENT NUMBER:
                         136:90961
TITLE:
                         Liposomal antineoplastic drugs and uses
                         thereof
INVENTOR(S):
                         Madden, Thomas D.; Semple, Sean C.; Ahkong, Quet F.
PATENT ASSIGNEE(S):
                         Inex Pharmaceuticals Corporation, Can.
SOURCE:
                         PCT Int. Appl., 47 pp.
                         CODEN: PIXXD2
DOCUMENT TYPE:
                         Patent
                         English
LANGUAGE:
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION:
     PATENT NO.
                     KIND DATE
                                          APPLICATION NO. DATE
                     ____
     WO 2002002077
                      A2
                                          WO 2001-CA925
                            20020110
                                                            20010629
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT,
             RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US,
             UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
             DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     AU 2001070385
                      A5 20020114
                                          AU 2001-70385
                                                            20010629
PRIORITY APPLN. INFO.:
                                        US 2000-215556P. P 20000630
                                        US 2001-264616P P 20010126
                                        WO 2001-CA925
                                                        W 20010629
AB
     This invention relates to liposomal antineoplastic agents (e.g.,
     camptothecin) compns. and methods of using such compns. for treating
     neoplasia and for inhibiting angiogenesis. The compns. and methods are
     useful for modulating the plasma circulation half-life of an active agent.
     Topotecan (I) was encapsulated in sphingomyelin:
    cholesterol (55:45, mol/mol) liposomes using Mg-A-2318
    ionophore method. The initial drug-to-lipid ratio was 0.1
     (wt./wt.) and drug loading was typically 95-100%. The therapeutic index
    of the liposomes contg. I was 18 fold the free I in human breast
    cancer model MX-1.
```

09702165

ACCESSION NUMBER:

2000:494205 CAPLUS

DOCUMENT NUMBER:

133:212986

TITLE:

Liposomal encapsulation of topotecan

enhances anticancer efficacy in murine and human

xenograft models

AUTHOR(S):

Tardi, Paul; Choice, Edward; Masin, Dana; Redelmeier,

Thomas; Bally, Marcel; Madden, Thomas D.

CORPORATE SOURCE:

Department of Advanced Therapeutics, British Columbia

Cancer Agency, Vancouver, BC, V5Z 4E3, Can. Cancer Research (2000), 60(13), 3389-3393

CODEN: CNREA8; ISSN: 0008-5472

PUBLISHER:

SOURCE:

American Association for Cancer Research

DOCUMENT TYPE:

Journal English

LANGUAGE: AΒ

Topotecan was encapsulated in sphingomyelin/cholesterol liposomes using an ionophore-generated proton gradient.

After i.v. injection, liposomal topotecan was

eliminated from the plasma much more slowly than free drug, resulting in a

400-fold increase in plasma area under the curve. Further, high-performance liq. chromatog. anal. of plasma samples demonstrated that

topotecan was protected from hydrolysis within the

liposomal carrier with >80% of the drug remaining as the active,

lactone species up to 24 h. The improved pharmacokinetics obsd. with

liposomal topotecan correlated with increased efficacy

in both murine and human tumor models. In the L1210 ascitic tumor model, optimal doses of liposomal topotecan resulted in a

60-day survival rate of 60-80%, whereas in a L1210 liver metastasis model, 100% long-term survival (>60 days) was achieved. In contrast, long-term

survivors were rarely seen after treatment with free topotecan. Further, in a human breast carcinoma model (MDA 435/LCC6),

liposomal topotecan provided greatly improved increase

in life span relative to the free drug. These results suggest that liposomal encapsulation can significantly enhance the therapeutic

activity of topotecan.

REFERENCE COUNT:

30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>